

Message

From: Rogers, Rick [rogers.rick@epa.gov]
Sent: 8/6/2020 9:12:24 PM
To: Pratt, Stacie [Pratt.Stacie@epa.gov]
Subject: Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Pratt, Stacie <Pratt.Stacie@epa.gov>
Sent: Thursday, August 06, 2020 5:10 PM
To: Rogers, Rick <rogers.rick@epa.gov>
Subject: Ex. 5 Deliberative Process (DP)

Ex. 5 DP / Ex. 7(A)

From: Harry Hunsicker -MDE- <harry.hunsicker@maryland.gov>
Sent: Thursday, August 06, 2020 5:06 PM
To: Rogers, Rick <rogers.rick@epa.gov>; Pratt, Stacie <Pratt.Stacie@epa.gov>
Cc: Sharon Talley -MDE- <sharon.talley@maryland.gov>; Andrew Gosden -MDE- <andrew.gosden@maryland.gov>; Arno Laud -MDE- <arno.laud@maryland.gov>
Subject: Ex. 7(A)

Ex. 7(A)

Ex. 7(A)

Ex. 7(A)

Before responding to any status update requests in this way, I would like to get your thoughts on this approach or add to the next QEM for discussion.



Harry E. Hunsicker III
Program Manager
Water and Science Administration
Compliance Program
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230
harry.hunsicker@maryland.gov
443-413-9401 (M)
[Website](#) | [Facebook](#) | [Twitter](#)

Click here to complete a three question [customer experience survey](#).

LEGAL DISCLAIMER - *The information contained in this communication (including any attachments) may be confidential and legally privileged. This email may not serve as a contractual agreement unless explicit written agreement for this purpose has been made. If you are not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication or any of its contents is strictly prohibited. If you have received this communication in error, please re-send this communication to the sender indicating that it was received in error and delete the original message and any copy of it from your computer system.*

On Thu, Aug 6, 2020 at 4:11 PM Brancho, Jennie <Brancho.Jennie@epa.gov> wrote:

Sharon,

Ex. 7(A)

Thanks,

Jennie Brancho

U.S. Environmental Protection Agency Region III

Enforcement and Compliance Assurance Division

Water Branch – NPDES Section (3ED32)

brancho.jennie@epa.gov

Office Phone: 215-814-2087

From: Sharon Talley -MDE- <sharon.talley@maryland.gov>

Sent: Thursday, August 6, 2020 6:48 PM

To: Brancho, Jennie <Brancho.Jennie@epa.gov>

Cc: Harry Hunsicker <harry.hunsicker@maryland.gov>; Andrew Gosden -MDE- <andrew.gosden@maryland.gov>;
patrick.noyes@maryland.gov; Shailaja Polasi -MDE- <shailaja.polasi@maryland.gov>; Jessica Herpel -MDE-
<jessica.herpel@maryland.gov>; Arno Laud -MDE- <arno.laud@maryland.gov>

Subject: Ex. 7(A)

Hi Jennie,

Ex. 7(A)

Thanks



Virus-free. www.avg.com

On Wed, Aug 5, 2020 at 11:46 AM Brancho, Jennie <Brancho.Jennie@epa.gov> wrote:

Sharon,

Ex. 7(A)

Ex. 7(A)

Thanks,

Jennie Brancho

U.S. Environmental Protection Agency Region III

Enforcement and Compliance Assurance Division

Water Branch – NPDES Section (3ED32)

brancho.jennie@epa.gov

Office Phone: 215-814-2087

From: Sharon Talley -MDE- <sharon.talley@maryland.gov>

Sent: Wednesday, August 5, 2020 1:45 PM

To: Brancho, Jennie <Brancho.Jennie@epa.gov>

Cc: Harry Hunsicker <harry.hunsicker@maryland.gov>; Andrew Gosden -MDE- <andrew.gosden@maryland.gov>

Subject: **Ex. 7(A)**

Jennie,

Ex. 7(A)

also? Please advise.

Thanks

On Wed, Aug 5, 2020 at 1:30 PM Brancho, Jennie <Brancho.Jennie@epa.gov> wrote:

Hi Sharon,

Ex. 7(A)

Ex. 7(A)

Right now, Horizon Land Management requested a 30-day extension for the response to the Information Requirement Letter, so I am waiting on their response that will be due August 31 for additional information regarding the effluent violations.

Thanks,

Jennie Brancho

U.S. Environmental Protection Agency Region III

Enforcement and Compliance Assurance Division

Water Branch – NPDES Section (3ED32)

brancho.jennie@epa.gov

Office Phone: 215-814-2087

From: Sharon Talley -MDE- <sharon.talley@maryland.gov>

Sent: Wednesday, August 5, 2020 1:21 PM

To: Brancho, Jennie <Brancho.Jennie@epa.gov>

Subject: Fwd: **Ex. 7(A)**

Hi Jennie,

Ex. 7(A)

----- Forwarded message -----

From: **Frederick Tutman** <fred@paxriverkeeper.org>

Date: Tue, May 26, 2020 at 5:14 PM

Subject: **Ex. 7(A)**

To: <katie.baker@maryland.gov>

Cc: <clay.troy@maryland.gov>, <sharon.talley@maryland.gov>

Ex. 7(A)

Ex. 7(A)

Thank you for your attention to this matter.



Sharon Talley

Chief

Enforcement Division, Compliance Program

Water and Science Administration

Maryland Department of the Environment

1800 Washington Boulevard

Baltimore, Maryland 21230

sharon.talley@maryland.gov

410-537-3979 (O)

[Website](#) | [Facebook](#) | [Twitter](#)

Click here to complete a three question [customer experience survey](#).

[Click here](#) to complete a three question customer experience survey.

Sharon Talley

Chief

Enforcement Division, Compliance Program

Water and Science Administration

Maryland Department of the Environment

1800 Washington Boulevard

Baltimore, Maryland 21230

sharon.talley@maryland.gov

410-537-3979 (O)



[Website](#) | [Facebook](#) | [Twitter](#)

Click here to complete a three question [customer experience survey](#).

[Click here](#) to complete a three question customer experience survey.

--



Sharon Talley
Chief
Enforcement Division, Compliance Program
Water and Science Administration
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230
sharon.talley@maryland.gov
410-537-3979 (O)
[Website](#) | [Facebook](#) | [Twitter](#)

Click here to complete a three question [customer experience survey](#).



Virus-free. www.avg.com

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.